

# Ali Glyde Range Aeroflex

## Technical Specifications



[www.hag.co.uk](http://www.hag.co.uk)  
Advice Line 0800 072 3444



## What is it made from

The Ali Glyde range offers Aluminium construction with models available which include polycarbonate glazing.

## Typical Uses or Specific Use

Typical uses are retail shop fronts in Airports and Malls

## Security Level

Medium to Low Security dependant on model specification

## Benefit of product range

Low Maintenance, design enables large spans with possibility of curved layouts.

# Ali Glyde Range Aeroflex



## Product Overview

### Description

Ali Glyde Aeroflex, Stacking Perforated Steel Panels

### Common use

Airport, and Mall Shop front's

### Dimensions

152mm vertical Sections with aluminium hinges

### Weight

10kg Per M2

### Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

### Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

### Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length.

### Stacking Size

Approximately 15% of overall length

### Locking

Adams rite mortice lock with intermediate post's incorporating drop bolts locating into flush floor sockets.

### Operation

Manual Operation

---

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.

---

---

For further information about this product please call the HAG advice line on 0800 072 3444 or email [info@hag.co.uk](mailto:info@hag.co.uk)

---