


Armourdoor Acoustic Door AD60

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444

Armourdoor Acoustic Door AD60



Description

The Armourdoor Acoustic Door AD60 is a high security sound protecting door; constructed from 1.2mm zinc protected steel sheets joined together in a bonding process with a rock wool core. The door frame is manufactured from 1.6mm profiled zinc protected steel. The Armourdoor Acoustic door is tested to BS EN ISO 140-3:1995 and can provide acoustic reduction of 35 dB, 45 dB & 50 dB.

Common Use

The Armourdoor Acoustic door AD50 is for commercial and industrial applications to protect against unwanted noise. This door is installed to protect employees or general public in areas that where there are high levels of noise and ear protection is not available e.g. public access. Common applications are Plant and equipment rooms, Generator rooms, electrical sub stations etc.

Dimensions

Single openings from 690mm to 1390mm. Double openings from 1290mm to 2600mm. All at heights up to 2900mm

Security Level

Low / Medium Security

For further information about this product please call the HAG advice line on 0800 072 3444 or email info@hag.co.uk

Armourdoor Acoustic Door AD60



Product Overview

Operation

Manual

Finish

The Armourdoor Acoustic Door AD60 is available powder coated from a standard range of colours. Wood grain, PVC Laminate and Stainless steel are available.

Specification of Build

The AD 60 has a steel door leaf thickness of 56mm and a infill rock wool.

Door Frame constructed from folded 1.6mm Zintec/aluzinc steel.

The acoustic door is supplied with a variable sub frame to allow up to 30mm tolerance for site installations.

The frame is fitted with 1 dog bolt hinge as standard.

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.

For further information about this product please call the HAG advice line on 0800 072 3444 or email info@hag.co.uk
