



Grasmere Awning

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444



What is it made from

Casing Made from Powder Coated Aluminium, Plastic End Covers, Top and Bottom Forks Drop Forged, Awning Fabric available in Acrylic or PVC

Typical Uses or Specific Use

Domestic applications where the awning is fixed to the property to create a covered area. Commercial awnings in restaurants, bars, cafes, hotels to allow for a pleasant out door space. Schools: to enhance the opportunity of outdoor learning.

Benefit of product range

Fabrics awnings offer UV & UVA Protection allowing both shade and sun protection. Cassette takes up minimal room when the awning is not in use and fully encloses and protects the fabric.

Product Overview

Description

Grasmere square cassette awning

Common use

Fixed to the property to provide a covered outdoor area

Maximum Width

6 metres

Dimensions

Width from 1840mm Up to 6m

Projection from 1.5m to 3m

Maximum widths are dependent on projections

Finish

Mill finished aluminium, polyester powder coat colours are available.

Weight

Dependent on fabric chosen and size

Finish

Wide choice of fabric or PVC covers to create the right ambience

Typical Arrangements

Rear or top mounting cassette with extendable arms.

This could be beneficial in areas where they may have a balcony over hanging and want an awning that can be fixed to the balcony.

Operation

RTS Motor operated by remote control

Optional Extras

Heaters, motion, wind & sun sensors, additional remote controls

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.
