

HD Communal Entrance Doors

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444

HD Communal Entrance Doors



Product Range

HD Communal Entrance Doors

What Is It Made From

The HD Communal Entrance Door, double glazed units are constructed from two leaves each of 11.5mm anti-Banti glass covered by 2mm stainless panels. 48mm thick door leaf is made from 1.5mm corrosion resistant steel panels.

Typical Uses

Secure Communal Entrance Door

Security Level

High

For further information about this product please call the HAG advice line on 0800 072 3444 or email info@hag.co.uk

HD Communal Entrance Doors



Product Overview

Description

Secure Communal Entrance Door

Common Use

Entrance Door

Dimensions

Single openings from 690mm to 1390mm
Double openings from 1290mm to 2600mm
All at heights up to 2900mm

Finish

The Steel Door is Pre primed light grey BS10A05 as standard, Powder coat from standard range available also Woodgrain PVC Laminate

Specification of Build

Steel Door Leaf thickness of 48mm. made from 1.5mm corrosion resistant steel as standard
2mm stainless steel vision panel

Door Infill- fitted with a solid timber core for anti-vandal protection

Steel Door Frame manufactured from 1.5mm thick sheets welded together

Panels can be solid, glazed or louvered with a solid timber core.

Screw and tab construction with 4 no adjustable fixing feet per jamb, variable sub frame supplied as standard to accommodate site tolerance of -0+30mm. The frame is fitted with 4no class dog bolts stainless steel hinges as standard.

Threshold – As standard 15mm rebated threshold,
optional 5mm driveable (DDA Compliant) 12.5mm 564A aluminium (DDA Compliant)

Operation

Manual

Security

Concealed double mortice mounted deadlock

Optional Extras

Access controls
Alternative sperture shapes available.

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.

For further information about this product please call the HAG advice line on 0800 072 3444 or email info@hag.co.uk
