

Ali Glyde W50

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444

Ali Glyde W50



A manually operated sliding folding grille manufactured to from aluminium in an elongated brick style design with gaps allowing for through vision. A selection of finishes are available and Adams Rite mortice lock fitted as standard. Suitable for curved apertures. No maximum span. Recommended maximum height up to 4,500mm.

Product Overview

Description

The Ali Glyde W50 is a sliding folding aluminium grille supported by a top track system manufactured in design to form an elongated vertical brick type pattern. Aluminium in construction this system can be adapted to limitless flexible floor layouts.

Common use

The Ali Glyde W50 sliding folding grille can be installed on all types of retail premises such as shopping malls, railway stations, store concessions and kiosk.

Dimensions

152mm vertical Sections with aluminium hinges

Weight

8kg Per M2

Ali Glyde W50

Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length

Stacking Size

Approximately 15% of overall length.

Locking

Adams rite mortice lock with intermediate post's incorporating drop bolts locating into flush floor sockets.

Operation

Manual Operation

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.
