

Ali Glyde W60

Technical Specifications



<https://www.hag.co.uk>
Advice Line 0800 072 3444



A manually operated sliding folding aluminium grille, designed to form an elongated brick pattern. Provides ample security with gaps allowing for through vision. A selection of finishes are available and Adams Rite mortice lock fitted as standard. Suitable for curved apertures. No maximum span. Recommended maximum height up to 4,500mm.

Product Overview

Description

The Ali Glyde W60 is a sliding folding grille supported by a top track system manufactured in design to form an elongated vertical brick type pattern. The W60 Ali Glyde is aluminium in construction and its manual operation ensures low maintenance.

Common use

The Ali Glyde W60 collapsible has secured various retail premises in shopping malls such as kiosk, information desks and store concessions.

Dimensions

152mm vertical Sections with aluminium hinges

Weight

Ali Glyde W60

8kg Per M2

Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length.

Stacking Size

Approximately 15% of overall length.

Locking

Adams rite mortice lock with intermediate posts incorporating drop bolts locating into flush floor sockets.

Operation

Manual Operation

