

Ali Glyde W90

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444

Ali Glyde W90



A manually operated folding sliding grille manufactured from sturdy aluminium. The design allows for maximum through vision and ventilation without compromising security. A selection of finishes are available and Adams Rite mortice lock fitted as standard. Suitable for curved apertures. No maximum span. Recommended maximum height up to 4,500mm.

Product Overview

Description

The Ali Glyde W90 is a horizontally sliding stacking grille with top track support and intermediate aluminium sections providing rigidity. The aluminium components are assembled to form an open grille providing maximum vision and ventilation incorporating a seven lever integral locking device best suited for long and sometimes curved runs of shop front areas that require closing off from the general public.

Common use

The Ali Glyde W90 folding sliding grille can be installed in many different applications from shopping malls to reception counters due to its style and flexible installation requirements.

Dimensions

152mm vertical Sections with aluminium hinges

Weight

6kg Per M2

Ali Glyde W90

Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length.

Stacking Size

Approximately 15% of overall length.

Locking

Adams rite mortice lock with intermediate post's incorporating drop bolts locating into flush floor sockets.

Operation

Manual Operation

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.
