Seceuroguard 1000 Retractable Security Gate

Technical Specifications

HAG
THE DOOR SPECIALISTS

https://www.hag.co.uk
Advice Line 0800 072 3444

Seceuroguard 1000 Retractable Security Gate

A manually operated retractable security gate providing a good level of security. The seceuroguard 1000 allows for through vision and ventilation when closed and is suitable for internal use. Installed with a 2 point locking system and standard RAL colours finish. No maximum span. Recommended maximum height up to 4,500mm.

Product Overview

Description

Seceuroguard 1000 Retractable Security Gate

The SeceuroGuard 1000 is a retractable security gate that delivers an exceptionally strong barrier against intruders, without compromising aesthetics. When closed, the grille allows merchandise to be visible yet remain safe, allowing retail premises to display their goods 24 hours a day. Products stay on display with unrestricted visibility and yet remain protected.
Fitted at the rear of a window display, retractable grilles can also effectively create an attractive backdrop while protecting the shop's interior. The window display remains uninterrupted while the grille is accessible for easy operation.

Common use

Typically used as a security gate for the home and office windows or commercial shop fronts

Dimensions

15mm x 14mm x 1.2mm cold rolled steel sections

Weight:

19kg per square metre

Finish:

Standard RAL Stock Colours available

Top Track:

45mm x 40mm Steel Top Track (Additional 45mm x 20mm box section required if face fixed)

Stacking Size:

Approximately 15% of overall width (view standard drawing for specific dimensions)

Locking:

2 Point locking system

Operation:

Manual operation

Available Options:

Standard "X" Lattice
"S" Lattice
Folding Bottom Track
Hinge aside stacking option

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.