

# Seceuroguard 1001 Retractable

## Security Gates

Technical Specifications



[www.hag.co.uk](http://www.hag.co.uk)  
Advice Line 0800 072 3444

# Seceuroguard 1001 Retractable Security Gates



A manually operated retractable security gate. The lattice design allows for through vision and ventilation while maintaining a high level of security. Installed with a 2 point locking system and standard RAL colours finish. An insurance approved design to Loss Prevention Standard (LPS) 1175 Security Rating Classification SR1. Available in a maximum width of 6000mm.

## Product Overview

### Description:

The Seceuroguard 1001 retractable security gate range offers an outstanding mix of protection with the elegance of the lattice style design. The Seceuroguard 1001 is an insurance approved product design. Approval has been gained

# Seceuroguard 1001 Retractable Security Gates

as a result of independent testing to Loss Prevention Standard (LPS) 1175 Security Rating Classification SR1. The Seceuroguard 1001 offers a stylish, unobtrusive security alongside potential insurance premium benefits.

## Common use

Where insurers have specified LPCB level 1 protection security gate.

## Weight

19kg per square metre

## Dimensions

15mm x 14mm x 1.2mm cold rolled steel sections

## Finish

Standard RAL Stock Colours available

## Top Track

45mm x 40mm Steel Top Track (Additional 45mm x 20mm box section required if face fixed)

## Stacking Size

Approximately 15% of overall width (View standard drawing for specific dimensions)

## Locking

4 Point locking system with shielding

## Available Options

Standard "X" Lattice

"S" Lattice

Folding Bottom Track

Hinge aside stacking option

## Note:

The validity of the LPCB certification is dependent upon each security gate being installed in accordance with the requirements of LPS1175

---

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.

---