


# Dock Plus HDE 2000 Edge of Dock Leveller

Technical Specifications



<https://www.hag.co.uk>  
Advice Line 0800 072 3444

# Dock Plus HDE 2000 Edge of Dock Leveller



The Dock Plus HDE 2000 is an edge of dock leveller that is compact in design and used for areas where traditional dock level systems cannot be mounted. This manual system is cost effective for smaller applications.

## Product Overview

### Product description

The Dock Plus HDE 2000 is a manually operated dock leveller. The edge of dock system is compact in design and uses a counterbalance weight that holds the lid securely down to the vehicle bed to allow safe loading and unloading.

### Common Uses

Loading Bay, Distribution Centers, Industrial Units, Hospitals, Retail Units.

### Maximum Sizes:

Standard design 2040mm wide by 1200mm high

Lip 1800mm wide and 1200mm high

2000kg capacity.

### Construction

The deck is manufactured from 8mm to 10mm chequer plate dependent on overall size of the dock leveller.

The safety lip is manufactured from 12.5mm durbar plate with a 250mm leading edge. Steel supports are welded to the underside for reinforcement.

# Dock Plus HDE 2000 Edge of Dock Leveller

The base frame is manufactured from mild steel sections.

## Operation

Manual operation.

## Safety

Integral safety prop, integral toe guards and hazard marking to side edges.

A variance of 100mm is allowed for uneven trailer centres.

## Finish

Galvanised steel as standard, polyester powder coat available on request.

---

**Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.**

---

