




View from front, closed door.



View from above.



View from side, open door.



21	Windcatcher bolt
20E	Wind catcher bracket
20D	Mounting board, R+L
20C	Rope, polyester, 5, black
20B	Steering for rope
20A	Plastic handle
20A-E	Wind catcher VH4, no 20A+B+C+D+E
19A	Rubber stop 30
19	Door stop R+L (incl 19A)
18C	Floor seal, GK1
18B	Floor seal, extra high
18A	Floor seal G1, 35mm
17	Intermediate seal 14165
16	Frame seal 14155
15	Window frame
14	Double 4 mm insulated glass
13	Door handle
12	Guide shoe
11	Guide shoe fitting
10	Guide rail holder, a=220
9	Guide rail holder, a=100
8	Guide rail
7	Steering wheel
6	Retainer, door fitting,(when lifting hinges)
5	Retainer, frame fitting, (when lifting hinges)
4	Btm part upper frame hinge (adjustable)
3	Bottom part lower frame hinge
2	Frame hinge L+H
1B	Intermediate adjustable hinge L+H
1A	Intermediate steering hinge L+H
no	Parts

HAG
THE DOOR SPECIALISTS

HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: Q Door Sliding Folding Door (C/W CFC Polyurethane Foam Insulated Steel Panels)
Operation: Manual Or Electric
Finish: Galvanised Or Overpainted To A Standard RAL
Power Requirements: Single or Three Phase Options
Extra's: Sections, Windows, Entry Door Inward Or Outward Opening, Window Grille, Door Stops, Safety Sensors

Notes:
All Electrical Connections are to Be Done By The Client not HAG
Full Width Of The Shutter Is Required For Maintenance

Scale: NTS

Disclamier

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date: 09/10/23

Door Type: HAG Q-Door

Drawing No: HAGQD1

Revision: