





HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Manual, Single Sectioned, In/Outside, Mounted, Right/Left Mounted, Twin Track, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark opening movement:	Mark mount alt:
☐ Right	☐ Inside
☐ Left	☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS1_M-P	.







HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Electrical, Double Sectioned, In/Outside, Mounted, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark mount alt:
☐ Inside
☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS2_E	.







HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Electrical, Double Sectioned, In/Outside, Mounted, Twin Track, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark mount alt:
☐ Inside
☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS2_E-P	.







HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Manual, Double Sectioned, In/Outside, Mounted, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark mount alt:
☐ Inside
☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS2_M	.







HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Electrical, Single Sectioned, In/Outside, Mounted, Right/Left Mounted, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark opening movement:	Mark mount alt:
☐ Right	☐ Inside
☐ Left	☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS1_E	.







HAG
THE DOOR SPECIALISTS
HAG, 1 OAK LANE, FISHPONDS,
BRISTOL BS5 7UY.
TEL 0117 9654 888
EMAIL INFO@HAG.CO.UK

Product Ref: HAG Q-Door

Manual, Single Sectioned, In/Outside, Mounted, Right/Left Mounted, Sandwich Construction Sliding Door Type Q

Drawing Applies To Steel Frame For Welded Installation (Dimensions In MM).

The Required Steel Frame & Sill Members Are Not Normally Included In Delivery.

Mark opening movement:	Mark mount alt:
☐ Right	☐ Inside
☐ Left	☐ Outside

W = Open Width
H = Open Height
MW = Minimum steel Width
MS = Minimum Space

Tolerances on dimensions W and H: +−5mm
Frame sides must be vert. and top and sill must be horiz.

Disclaimer

HAG operates a policy of continuous improvements, product specification may change, and it is advisable to consult with HAG technical advisors Before specifying or ordering. All Goods/Works/ Services are purchased/sold subject to HAG limited standard terms and conditions, which are available on request.

SECURITY DOORS
FIRE DOORS
AUTOMATIC DOORS
ENVIRONMENTAL DOORS
WWW.HAG.CO.UK

Date:	Product:	HAG Drawing No:	Revision:
23/04/24	Q Industrial Door	HAG QS1_M	.